



Dental Intraoral Scanner And Workstation Trolley Price Guide 2006



Components

- ✓ Touch All-in-One Computer
- ✓ UPS Backup Lithium Battery
- ✓ Mobile Cart

REF26DSW01LM8500ST

All-in-One Intraoral Scanner Workstation

Code: DSW-0115

All-in-One Dental Intraoral Scanner Mobile Cart Equipped with 23.8" HD touch all-in-one PC, powerful 12th Gen i7 & RTX4060 graphics for lag-free 3D oral scanning. Built-in UPS lithium battery offers up to 100 mins backup power to prevent data loss during clinic movement. Universal scanner holder fits 99% intraoral scan brands, height & angle adjustable screen, silent lockable casters for flexible cross-room use. Premium medical-grade design with dimmable ambient light, ideal for modern dental clinics.

UPS Uninterruptible Power Supply Parameter

- Battery power: 720w
- Battery voltage: 24v
- Battery capacity: 150wh
- Input voltage range: 162-268v
- Output voltage range: 190-250v
- The endurance: 60 minutes
- Ambient lamp: Adjustable brightness
- Power warning: Low battery, making noise
- Warranty period: 12 months

Equipment list

- Touch all-in-one computer
- UPS Uninterruptible Power Supply
- movable lif cart
- Independent switch adjustable atmosphere lamp
- The universal or specific oral scanner holder
- 3m spring wire international plug
- Phillips screwdriver
- The box for oral scanner head
- Warranty card and certificate

Integrated computer parameters

- Operating system: Windows 11
- Touch all-in-one machine: White Touch 23.8 FHD
- Processor model: 12th Generation Intel Core i7-12700F
- Graphics chip: RTX 3060 Video Card 8G Video Memory
- Memory capacity: 32G DDR4
- Hard disk description: SSD 1TB
- Resolution: 1920*1080IPS
- Audio sound system: Built-in 2.0 channel stereo high quality speaker
- Computer interface: 15W 3.0 USB-2 built-in WIFI Support USB Type-C
- Warranty period: 18 months

- Loading bearing: 12kg
- Gross weight: 40kg
- Packing size: 58x58x100 cm

Unit price: **USD1895.00 ea**
1-10 piece

USD1875.00 ea
11-49 piece

USD1700.00 ea
≥50 piece

All-in-One Intraoral Scanner Workstation



Code: DSW-0226

All-in-one intraoral scanner workstation with sturdy aluminum frame. Equipped with height-adjustable column, silent lockable wheels, dedicated scanner holder and multi-functional tray to organize all scanning tools neatly. Matched with HD intraoral scanner, it displays real-time 3D tooth models on screen to boost clinical efficiency. Minimalist advanced grey design with customizable options for dental clinics

UPS Uninterruptible Power Supply Parameter

- Battery power: 720w
- Battery voltage: 24v
- Battery capacity: 150wh
- Input voltage range: 162-268v
- Output voltage range: 190-250v
- The endurance: 60 minutes
- Ambient lamp: Adjustable brightness
- Power warning: Low battery, making noise
- Warranty period: 12 months

Integrated computer parameters

- Operating system: Windows 11
- Touch all-in-one machine: White Touch 23.8 FHD
- Processor model: 12th Generation Intel Core I7-12700F
- Graphics chip: RTX 3060 Video Card 8G Video Memory
- Memory capacity: 32G DDR4
- Hard disk description: SSD 1TB
- Resolution: 1920*1080IPS
- Audio sound system: Built-in 2.0 channel stereo high quality speaker
- Computer interface: 15W 3.0 USB-2 built-in WIFI Support USB Type-C
- Warranty period: 18 months

Equipment list

- Touch all-in-one computer
- UPS Uninterruptible Power Supply
- movable lif cart
- Independent switch adjustable atmosphere lamp
- The universal or specific oral scanner holder
- 3m spring wire international plug
- Phillips screwdriver
- The box for oral scanner head
- Warranty card and certificate

- Loading bearing: 10kg
- Gross weight: 43kg
- Packing size: 58x58x100cm

Unit price: **USD2150.00 ea** **USD2030.00 ea** **USD1940.00 ea**
 1-10 piece 11-49 piece ≥50 piece



DSW-0226



DSW-0115


The comparison between All-in-One and Desktop or Laptop

Advantages of All-in-one

- ✓ Touch operation, more convenient doctor-patient communication
- ✓ More concise, tall, with a sense of technology
- ✓ Lines are cleaner and comply with medical environment and safety regulations
- ✓ During a power outage, the UPS power supply allows for data storage
- ✓ Standard atmosphere lamp, anti-collision warning, and full sense of technology
- ✓ Move across the consulting room anytime and anywhere, free of mains supply
- ✓ Computer configuration is high, heat dissipation is good, and fluency is very high

All-in-One Intraoral Scanner

Workstation



Integrated computer parameters

- Operating system: Windows 11
- Touch all-in-one machine: White Touch 23.8 FHD
- Processor model: 12th Generation Intel Core I7-12700F
- Graphics chip: RT X 4060 Video Card 8G Video Memory
- Memory capacity: 32G DDR4
- Hard disk description: SSD 1TB
- Resolution: 1920*1080 IPS
- Audio sound system: Built-in 2.0 channel stereo high quality speaker
- Computer interface: 15W 3.0 USB-2 built-in WIFI Support USB Type-C
- Warranty period: 18 months

Code: DSW-0633



Equipment list

- Touch all-in-one computer
- UPS Uninterruptible Power Supply
- Movable lif cart
- Independent switch adjustable atmosphere lamp
- The universal or specific oral scanner holder
- 3m spring wire international plug
- Phillips screwdriver
- The box for oral scanner head
- Warranty card and certificate


UPS Uninterruptible Power Supply Parameter

- Battery power: 720w
- Battery voltage: 24v
- Battery capacity: 150wh
- Input voltage range: 162-268v
- Output voltage range: 190-250v
- The endurance: 100 minutes
- Ambient lamp: Adjustable brightness
- Power warning: Low battery, making noise
- Warranty period: 12 months

Unit price: **USD2400.00 ea** 1-10 piece **USD2280.00 ea** 11-49 piece **USD2150.00 ea** ≥50 piece



Oral Scanner Holder
Integrated oral scanner holder with quick-release design. Adjustable clamp fits major brands, ensuring sterile & efficient workflow



360° Swivel casters
360° swivel casters for smooth maneuverability in tight spaces. Quiet, durable wheels ensure floor-friendly mobility



Visible Storage basket
11"×6.3"×5.9"(28×16×15cm) basket provides at-a-glance visibility



Lockable Drawer
Lockable drawer with dedicated key for enhanced security. Efficient Tool Organization - Well-designed compartments for neat tool storage

Root Canal Treatment Integrated Trolley

Code: DRC-0118

- Custom slots for endo motor & apex locator, tidy wiring design
- Spacious worktop + lockable drawer + storage basket for endo tools
- Height adjustable stand, ergonomic for root canal preparation
- Silent brake casters, freely movable in dental clinic
- Stable five-star base, sturdy & anti-tip Optimize your root canal measurement & preparation procedure with one compact workstation.

- Cart Height: 95cm/35.4
- Tray Load: 30KG
- Caster Wheel Diameter: 7.6cm/3inches
- Column Material: Aircraft-grade aluminum
- Base Size: 47.47cm/18.78inches
- Storage Basket: 11"×6.3"×5.9"
- Size of integrated tray: 15.35"×12.2"

Unit price: **USD260.00 ea**
1-10 piece

USD235.00 ea
11-49 piece

USD210.00 ea
≥ 50 piece

Height Adjustable Mobile Medical Cart



Medical Mobile Trolley Cart Workstation

Code: MTO-1A (Air-pressure type)
MTO-3M (Manually operated type)

REF26MTO1A

REF26MTO3M

360° Lockable Silent TPR Casters

Four swivel wheels with foot brakes, smooth movement in clinics, stable & lockable for fixed operation.

Fully Adjustable Monitor Stand

100–120cm height adjustment, 90° rotation & 35° tilt; fits 15–32" VESA monitors, max load 8kg via gas spring.

Universal Oral Scanner Holder

Compatible with iTero, Sirona, Planmeca and most mainstream intraoral scanners, tidy & stable storage.

Premium Aluminum Alloy Frame

Sturdy, alkali-resistant, anti-static, anti-vibration, deformation-free with sleek appearance.

Multi-scenario Medical Workstation

Perfect for dental clinics, hospitals, aesthetic salons, labs and medical digital workflows.

Key Detailed Size

- Cart Height: Adjustable Height from 100-120cm/39.3-47.2inches
- Display Size: 15-32" medical displays
- Tray Load/Size: 8KG/ 17.72" x 6.89"
- Caster Wheel Diameter: 7.6cm/3inches
- Column Material: Aircraft-grade aluminum
- Vesa: 75/75/100/100
- ABS box size: 156cm/5.93.4 inches
- Base Size: 4747cm/18.7818.78inches
- Whole size: 47*47*120cm

Unit price: MTO-1A: USD275.00 ea
1-10 piece


MTO-3M: USD255.00 ea
1-10 piece

USD255.00 ea
11-49 piece

USD240.00 ea
11-49 piece

USD225.00 ea
≥ 50 piece

USD210.00 ea
≥ 50 piece



Dental Implant Trolley Cart

Code:DGM-0133

Built with aerospace-grade anodized aluminum alloy, this medical trolley is corrosion-resistant, anti-interference, scratch-proof and ultra-durable. It has four lockable silent 360° casters for flexible, stable movement. Equipped with a large 8kg-load tabletop for 15-32" screens and two leather-edged storage boxes. Suitable for dental clinics, hospitals and beauty salons. Full assembly kits are provided for quick setup within 30 minutes.



REF26DGM01LM750DT



Anodized metal handle



Belt brake rubber roller



Foot can be placed on the base



Storage tool table

Key feature:

- Material: Aviation aluminum alloy, High carbon steel, Medical ABS
- Multi-layer classified storage for bone knives, sandblasters & implant tools, tidy up your treatment bench
- 360° silent lockable casters, smooth to move between operatories & stay stable while working
- Medical-grade smooth surface, easy to wipe & sanitize, meets strict dental hygiene standards
- Sturdy anti-tip base, holds all your implant equipment safely during long procedures

Unit price: USD195.00 ea

1-10 piece
piece

USD185.00 ea

11-49 piece

USD165.00 ea

≥50



Dental Intraoral Scanner Trolley Cart

REF26DOC1TLM950KL

Code:DOC-145

Durable Premium Frame

Made of space aluminum & solid steel; reinforced base for great stability and long service life.

Fully Adjustable Workstation

115–145cm height adjustable; monitor arm rotates 90° & tilts 35°, fits 15–32" screens. Comes with pull-out keyboard tray, oral scanner holder and push-pull handle.

360° Lockable Silent Casters

Four independent brake wheels for smooth moving and fixed stable placement, fit salons, labs and offices.

Wide Multi-scene Use

Ideal for beauty salons, labs, classrooms, meetings; supports desktops, all-in-one PCs and monitors.

Built-in Cable Management

Hollow vertical column organizes power, USB and display cables neatly to avoid tangles and wire damage.

Unit price: **USD230.00 ea**
1-10 piece

USD215.00 ea
11-49 piece

USD195.00 ea
≥50 piece

Dental Intraoral Scanner Workstation Cart

Code:DOC-148



Premium Stable Construction

Made of space aluminum alloy with widened anti-tip three-prong base, scratch-resistant and deformation-proof for long term heavy clinical use.

Fully Adjustable Monitor System

115–145cm height adjustable column; monitor arm supports 90° horizontal rotation & 35° tilt, compatible with 15–32 inch medical displays.

Multi-Layer Classified Storage Design

Equipped with keyboard tray, independent printer shelf, dedicated intraoral scanner holder and side PC host bracket for classified storage of dental equipment.

Built-in Hidden Cable Management

Hollow vertical column hides power & data cables to eliminate wire tangles and keep the workstation neat.

Lockable Silent 360° Casters

Four independent brake universal wheels, smooth rolling in dental clinics, firmly locked to stay stable during scanning procedures.

All-in-One Dental Workstation for Wide Scenarios

Customized for oral monitoring rooms & implant clinics, integrates scanning, digital model viewing and report printing; also suitable for beauty salons and labs.

Unit price: **USD255.00 ea** 1-10 piece
USD235.00 ea 11-49 piece
USD215.00 ea ≥50 piece

REF26DOC1TDL1100BD

Dental Intraoral Scanner Workstation Cart

Code:DOC-315

REF26DOC3LM850EF

Height Adjustable Large Tabletop

Work surface height adjustable from 30–87cm to fit different dentists; 60×42cm spacious platform with 30kg max load (the vertical column itself is fixed height).

Lockable Silent 360° Casters

Four independent brake universal wheels, roll quietly on all clinic floors and lock firmly to stabilize the cart during scanning work.

Secure Lockable Storage Drawer

35×25cm lockable drawer safely stores expensive intraoral scanners & precision dental tools, anti-loss and anti-collision.

Universal Intraoral Scanner Bracket

Compatible with mainstream brands: 3Shape, iTero, Sirona, Planmeca; firmly holds scanner handpiece to avoid accidental dropping.

Hidden Cable Management System

Concealed wire routing organizes all cords neatly, eliminates messy cables and potential safety risks for a tidy clinic workstation.

Heavy-Duty Aluminum Alloy Frame

Anti-static, alkali-resistant, vibration-proof and anti-deformation; shields medical devices and guarantees long-term stable clinical use.

Space-Saving Compact Structure

Overall size 60×56×87cm, net weight 20kg; small footprint, easy to maneuver inside narrow dental operatories.



Pull-out tray



360° Swivel casters



Lockable Drawer



Oral Scanner Holder

Detailed size:

- Work Surface Load Capacity: UP to 30 kg (66 lbs)
- Drawer size: 35.25cm/13.89inches
- Cart Height: Adjustable Height from 30–87cm/23.6–35.4inches
- Laptop Tray Dimensions: 60.42cm/23.78inches
- Base Size: 56.60cm/22.05inches
- Caster Wheel Diameter: 7.6cm/3inches
- Column Material: Aircraft-grade aluminum

Unit price: **USD210.00 ea**
1–10 piece

USD195.00 ea
11–49 piece

USD180.00 ea
≥50 piece

Intraoral Scanner Workstation Cart With UPS

Code:DOC-318U

Built-in UPS Uninterruptible Power Supply

Equipped with integrated UPS power module, it can sustain power supply during sudden blackouts, avoiding loss of oral scan data and protecting patient digital tooth models, ensuring stable diagnosis work without interruption.

Aerospace-Grade Aluminum Adjustable Column

Lightweight yet sturdy alloy vertical stand, supports height adjustment to fit different doctors' operating postures; matched with rotatable & tiltable monitor bracket compatible with dental displays.

Dedicated Intraoral Scanner Holder

Universal fixed bracket fits mainstream scanners, securely stores the scanning handpiece to prevent drops and collision damage, keeps equipment within easy reach during scanning.

Spacious Anti-slip Work Tabletop

Large flat tray holds keyboard, mouse and other small devices, enough space for real-time viewing and editing of 3D dental scans.

Integrated PC Host Storage Compartment

Side-mounted cabinet perfectly accommodates computer main unit, centralized wiring design hides messy cables for a tidy clinic environment.

Lockable Silent 360° Casters & Stable Tri-base

Four-foot widened anti-tipping base for great load-bearing capacity; 3-inch silent universal wheels with individual foot brakes, flexible to move in narrow dental operatories and stay firmly locked during operation.

All-in-one Digital Dental Workstation

Integrates display, scanning equipment, computer, power backup and operation desk, one cart completes the full digital oral scanning workflow, ideal for implant rooms, orthodontic clinics and oral monitoring rooms.

REF26DOC318U1900LM

Key Feature: Uninterruptible Power Supply

The laptop cart is equipped with UPS. This integrated UPS unit ensures continuous power for critical medical devices, safeguarding against sudden outages. Installed on the cart's frame, it provides backup electricity to the computer, monitor, and scanner, preventing data loss and procedure interruptions. Its compact, streamlined design complements the mobile workstation while delivering reliable energy stability for clinical environments.

Specification:

- Material: Aviation Aluminum Alloy & Medical-Grade Antibacterial Plastic
- Color: White
- Load Capacity: 8kg/18lb
- Packing Weight: 35kg/77lb
- Packing Size: 986821cm
- Cart Height: 115--145cm/45--57.4inches
- Numbers Of Caster: 4 silent brake wheels
- Caster Wheel Diameter: 7.6cm/3inches
- Base Size: 5660cm/2223.6 inches
- Column Material: Aircraft-grade aluminum
- Vesa: 75x75/100x100
- Laptop Size: 15-32"

Unit price: **USD410.00 ea**
1-10 piece

USD385.00 ea
11-49 piece

USD360.00 ea
≥50 piece



Q: What's your price term on this product brochure?

A: FOB Shenzhen, Guangzhou, Ningbo or Shanghai China.
However, C&F,CIF,EXW are available according to customer's requirement.

Q: What kind of service do you provide?

A: Davedmed focus on designing and manufacturing, OEM / ODM are available.

Q: What's your leading time for sample and mass production ?

A: Usually if there is stock in the warehouse, we can delivery out samples immediately;
The delivery time for bulk orders usually ranges from 15 to 30 days, depending on the quantity of the order and the season of production.

Q: Is it possible to process a one-item order for delivery?

A: Certainly! Most items are in stock. However, please feel free to confirm inventory details with our team first before ordering.

Q: What quality guarantees and after-sales support does your company offer?

A: Warranty terms differ by product line, with coverage typically ranging from 1 to 5 years.
High-volume clients with annual purchases over US\$500,000 can enjoy additional product quality insurance at no extra cost.

Q: What's your payment term?

A: For low-value transactions, we accept Payoneer, Paypal and T/T transfers
For large-value orders, we only accept bank wire transfers and L/C at sight.

Contact

DAVEMED INTERNATIONAL LTD
DAVEDENTAL TECHNOLOGY CO.,LTD

Add: No.87,Yiletang,Yangbu Town, Jinhua, Zhejiang, China 321000

Phone: +86 579 82391001

Mobile: +86 13957988325

Website: www.davedental.com

Email: info@davedental.com

WhatsApp: +86 13957988325

Official Disclaimer

The technical specifications of products contained in this catalog may contain inaccuracies. In addition, our company reserves the right to adjust prices appropriately in response to market fluctuations.

Therefore, our company retains the final right of interpretation with regard to all product technical parameters, transaction prices and relevant terms specified in this catalog.